

## INDEX TO VOLUME 80

Compiled by L. R. Wolfe

(New generic, specific, and subspecific names are printed in heavy face type.)

- Acanthis, 517  
 flammea, 201
- Accipiter, 432, 436, 443  
 badius, 439  
 bicolor bicolor, 436  
 chionogaster, 434  
 chionogaster chionogaster, 436  
 cooperii, 369, 434, 436, 468, 516  
 gentilis, 434, 439, 516  
 gentilis atricapillus, 436  
 g. gallinarum, 434  
 g. gentilis, 436  
 gundlachi, 436  
 nisus, 434, 439  
 nisus nisosimilis, 434  
 n. nisus, 436  
 striatus, 434, 516  
 striatus striatus, 436  
 s. velox, 436  
 superciliosus fontanieri, 436
- Accipitridae, 468
- Accipitrinae, 432
- Aegolius funereus, 516
- Africa, 90 (rev.)
- Age, of birds, see longevity
- Age-specific mortality, 145-155
- Agelaius phoeniceus, 145-155, 347, 348, 550, 553  
 tricolor, 552-553
- Aimophila ruficeps, 371
- Aix sponsa, 342, 343, 348
- Alabama, 90 (rev.), 366, 374
- Alaska, 371, 540-542, 544
- Albatross, Black-footed, 191, 192  
 Laysan, 191, 192
- Albinism,  
 Branta canadensis hutchinsii, 366  
 Branta canadensis interior, 366  
 Cyanocitta cristata, 374
- Alcedinidae, 469
- Alcedo atthis, 499
- Alectoris chukar, 80, 486  
 chukar chukar, 80  
 c. cypristes, 80  
 graeca, 80
- Ali, Salim, the birds of Sikkim (rev.), 385
- Allen, Durward L., our wildlife legacy, second ed. (rev.), 389-390
- Amadon, Dean, obituary of Charles Ketcham Nichols, 227; obituary of Beecher S. Bowdish, 416; reviews by, 90, 385
- Amandava, 3
- Amazilia edward, 469  
 tzacatl, 469
- Amazona autumnalis, 468  
 vitata vitata, 361
- Amblycercus holosericeus, 470
- American Ornithologists' Union,  
 Awards, 175  
 Committees, 1962-1963, 184-185  
 Eightieth Stated Meeting, 175-189  
 Officers and Trustees, 184  
 Report of Committee on Bird Protection, 352-364  
 Report of Research Committee, 190  
 Report of Special Committee on next A.O.U. Check-list, 177  
 Resolutions, 183  
 Treasurer's report, 1961-1962, 185-189
- Ammospiza mirabilis, 362  
 nigrescens, 362
- Amphispiza bilineata, 371, 379, 530, 532  
 bilineata deserticola, 379  
 b. opuntia, 379
- Amsterdam Island, 230
- Anabacerthia striaticollis, 469
- Anaplectes melanotis, 532
- Anas acuta, 257, 341, 347, 348  
 carolinensis, 342, 348  
 clypeata, 501  
 crecca, 194  
 cyanoptera, 374  
 diazi novimexicana, 359  
 discors, 257, 341, 342, 348, 368, 369, 374  
 fulvigula, 341-343, 347, 348, 489  
 itchtucknee, 341, 342, 348, 351  
 laysanensis, 194  
 platyrhynchos, 5, 257, 340, 347, 348, 501  
 rubripes, 341, 348  
 strepera, 342, 348  
 (wyvilliana) laysanensis, 359

- (w.) *wyvilliana*, 359
- Anatidae, 359
- Anatomy, 94, 156-165, 214, 398, 568
- Anhinga *anhinga*, 337, 347, 348, 468
- Anhingidae, 468
- Annan, Ormsby, experiments on photo-periodic regulation of the testis cycle in two species of the thrush genus *Hylocichla*, 166-174
- Anser *albifrons*, 200
- albifrons gambelli*, 358
- Anseriformes, 491
- Anthracothonax *nigricollis*, 469
- Anthus *novaeseelandiae*, 518
- spinoletta*, 499, 518
- Aptenodytes *patagonica*, 241
- Aquila *pomarina*, 439
- Aramides, 344
- cajanea*, 468
- Aramus *guarauna*, 347
- Archilochus *colubris*, 31
- Ardea, 471
- cinerea*, 297, 500
- herodias*, 297, 337, 338, 348, 378, 468, 499, 500
- Ardeidae, 295, 339, 468
- Ardeola *ibis*, 196
- Argentina, 74-77
- Arremonops *conirostris*, 116-144, 470
- conirostris striatipectus*, 116
- Astur, 432
- Asturina, 431, 432, 433
- Atkeson, Thomas Z., Jr., a Cinnamon Teal specimen from Alabama, 374
- Attila *spadiceus*, 470
- Auckland Islands, 230
- Aulacorhynchus *prasinus*, 469
- Auriparus *flaviceps*, 515
- Austin, O. L., Jr., on the American status of *Tiaris canora* and *Carduelis carduelis*, 73-74
- Aythya *affinis*, 115, 342, 343, 348
- americana*, 343, 348
- collaris*, 343, 348
- marila*, 487
- valisineria*, 343, 348
- Baeolophus, 443
- Baldwin, Paul H., and William F. Hunter, nesting and nest visitors of the Vaux's Swift in Montana, 81-85
- Barro Colorado Island, 116
- Bartholomew, George A., and Tom J. Cade, the water economy of land birds, 504-539
- Basileuterus *rufifrons*, 470
- Behavior,
- Animal, 208 (rev.)
- General, 95, 196, 199, 214, 399, 568
- Precocial birds, 385 (rev.)
- Anas acuta*, 257-289
- Anas discors*, 257-289
- Anas platyrhynchos*, 257-289
- Arremonops conirostris*, 116-144
- Branta canadensis*, 257-289
- Calothorax lucifer*, 370
- Dendrocopos villosus*, 375
- Eudypetes chrysocome*, 232-256
- Geospizinae*, 372
- Hydroprogne caspia*, 549
- Manacus manacus*, 381 (rev.)
- Nesomimus* [ ? *trifasciatus* ] *melanotis*, 372
- Podilymbus podiceps*, 449
- Porphyryla martinica*, 545-547
- Psomocolax oryzivorus*, 373
- Quiscalus quiscula*, 52-72
- Ramphocelus dimidiatus*, 116-144
- Rupicola rupicola*, 381 (rev.)
- Setophaga ruticilla*, 307-317
- Sterna albifrons*, 544
- Streptopelia risoria*, 48-51
- Thalasseus maximus*, 549
- Bellrose, Frank C., orientation behavior of four species of waterfowl, 257-289
- Biaggi, Virgilio, Jr., record of the White Pelican and additional information on the Glossy Cowbird from Puerto Rico, 198
- Biographies, 222, 411, 580
- Biology, 218, 407, 574
- Bird, association with mammals, 196
- Bird protection, 352-364
- Bittern, American, 368
- Least, 368
- Blackbird, Brewer's, 550
- Red-winged, 145-155, 550, 553
- Rusty, 544
- Tricolored, 552-553
- Yellow-headed, 145-155, 549
- Blackcap, 257

- Bluebird, Eastern, 24  
Bobolink, 166, 172  
Bobwhite, see Quail  
Bock, Walter J., review by, 202-207  
Bombycilla cedrorum, 470  
Bombycillidae, 470  
Booby, Masked, 191, 192, 194  
Red-footed, 194  
Borror, Arthur C., European Siskin (*Carduelis spinus*) in Maine, 201  
Botaurus lentiginosus, 368  
Bowdish, Beecher S., obituary of, 416  
Bowman, Robert I., morphological differentiation and adaptation in the Galápagos finches (rev.), 202-207; review by, 91-93  
Brambling, 201  
Branta canadensis, 257, 340, 348, 366  
canadensis canadensis, 366  
c. hutchinsii, 78, 340, 348, 366  
c. interior, 366  
c. leucopareia, 358  
c. maxima, 362  
sandvicensis, 359  
Breeding in autumn,  
Agelaius tricolor, 552-553  
Breeding success,  
Eudypetes chrysocome, 254  
Bressler, Sandra L., see Parks, John M., and —  
Brewer, Richard, ecological and reproductive relationships of Black-capped and Carolina chickadees, 9-47  
Brodkorb, Pierce, a giant flightless bird from the Pleistocene of Florida, 111-115; the name of a fossil rail and its date of publication, 542  
Bronornithidae, 111  
Brotogeris jugularis, 468  
Bubo virginianus, 301-306, 371, 516  
Bubulcus ibis, 378  
ibis ibis, 547  
Bucconidae, 469  
Bucephala albeola, 343, 348  
Budgerygah, 510, 511, 513, 514, 518, 520, 531  
Buechner, Helmut K., review by, 208-209  
Buerkle, Udo, and W. Dan Mansell, first nesting record of the Cattle Egret (*Bubulcus ibis*) in Canada, 378-379  
Bull, John L., Black-throated Sparrows in the eastern United States, 379-380  
Bulweria bulwerii, 193, 379  
Buphagus africanus, 196  
erythrorhynchos, 196  
Burhinidae, 79  
Burhinus bistriatus bistriatus, 79  
Bush-tanager, Brown-capped, 119, 130, 139  
Buss, Irven O., review by, 389-390  
Butaetes, 432  
Buteo, 417-446  
albicaudatus hypospodius, 436  
albonotatus abbreviatus, 436  
a. albonotatus, 436  
brachyurus, 432, 434, 436  
buteo buteo, 436  
b. vulpinus, 436  
galapagoensis, 436  
harlani, 431, 436  
jamaicensis, 115, 343, 348, 430, 431, 516  
jamaicensis borealis, 436, 439  
j. calurus, 431, 436, 439  
j. jamaicensis, 436  
j. umbrinus, 436  
lagopus, 430-432, 516  
lagopus kamtschatkensis, 436  
l. s.-johannis, 436  
lineatus, 417-446  
lineatus alleni, 419, 420, 422-426, 436  
l. elegans, 418-420, 422-426, 436  
l. extimus, 420, 424, 425, 436  
l. lineatus, 418-420, 422-426, 430, 436  
l. texanus, 419, 423-425, 436  
magnirostris, 417-446  
magnirostris gracilis, 436  
m. griseocauda, 418, 421, 422, 430, 436  
m. petersi, 418, 420, 426  
nitidus, 417-446  
nitidus blakei, 420, 426-429  
n. maximus, 420, 422, 426-428, 430, 436  
n. micrus, 418, 427-429  
n. nitidus, 428, 429  
n. pallidus, 428, 429  
n. plagiatus, 427, 428, 436  
plagiatus, 433  
platypterus, 417-446, 468  
platypterus antillarum, 440  
p. brunnescens, 440  
p. cubanensis, 440

- p. insulicola*, 440  
*p. iowensis*, 431  
*p. platypterus*, 418, 420, 422, 426, 430, 436, 440  
*p. rivierei*, 440  
*regalis*, 430, 431, 436  
*ridgwayi*, 417-446  
*swainsoni*, 430, 431, 432, 436  
*Buteola*, 432  
*Butorides*, 471  
*virescens*, 337, 339, 348, 378, 468  
  
Cade, Tom J., see Bartholomew, George A., and —  
*Calothorax lucifer*, 370  
*Camarhynchus pallidus*, 372  
Campbell Island, 230  
*Campephilus principalis*, 361  
*Campylopterus*, 471  
*hemileucurus*, 469  
Canada, 85, 378  
Canal Zone, 116  
*Capella gallinago*, 550  
*Caprimulgidae*, 469  
*Caprimulgus noctitherus*, 362  
*Caracara*, 471  
*cheriway*, 468  
*Cardinal*, 509, 510  
*Carduelis carduelis*, 73, 201  
*carduelis bermudiana*, 74  
*c. britannica*, 73  
*c. parva*, 74  
*spinus*, 201  
*Carpodacus mexicanus*, 508, 511-513, 519, 522, 524, 525  
Carson, Rachel, silent spring (rev.), 209-213  
*Casarca ferruginea*, 487  
*Casmerodius*, 471  
*albus*, 198, 295-300, 337, 339, 348, 468  
*Cassowary*, 471  
*Casuariiformes*, 491  
*Casuarius*, 471  
*Catharacta skua*, 230  
*Cathartes aura*, 164, 468  
*Cathartidae*, 468  
Catbird, 24  
*Centurus carolinus*, 375  
*chrysauchen*, 469  
*rubricapillus*, 469  
  
*Certhia familiaris*, 371  
*Certhidea olivacea*, 373  
Chabreck, Robert H., breeding habits of the Pied-billed Grebe in an impounded coastal marsh in Louisiana, 447-452  
*Chaetura andrei*, 84  
*pelagica*, 82  
*vauxi vauxi*, 81-85  
Chaffinch, 201  
*Chamaepetes unicolor*, 468  
Chamberlain, E. B., see MacInnes, C. D., and —  
*Charadriidae*, 468  
*Charadriiformes*, 491  
*Charadrius vociferus*, 544, 550  
*wilsonia*, 468  
Chen *rossii*, 77-79  
*caerulescens*, 78, 79  
*caerulescens caerulescens*, 78  
*hyperborea hyperborea*, 78  
Chickadee, Black-capped, 9-47  
*Boreal*, 36  
*Carolina*, 9-47  
*Chestnut-backed*, 29  
*Chlidonias niger*, 548  
*Chloris chloris*, 201  
*Chloroceryle aenea*, 469, 471  
*amazona*, 469, 471  
*Chlorospingus*, 116, 140, 143  
*ophthalmicus*, 119  
*pileatus*, 470  
*Chordeiles acutipennis*, 76, 508  
*minor*, 76  
*Ciconia maltha*, 340, 348  
*Cinnyris asiatica*, 4  
*Circaetus gallicus*, 439  
*Circus cyaneus*, 369  
*Cisticola*, 4  
Clawson, Sterling Gene, obituary of, 109  
Clawson, Sterling G., see Williams, Lovett E., Jr., and —  
*Coerebidae*, 470  
*Colaptes auratus*, 347, 348, 375, 544, 550  
*Colinus virginianus*, 81, 505  
Colombia, 547  
*Columba albilinea*, 468  
*livia*, 258, 374, 518, 527  
*Columbidae*, 468  
*Columbiformes*, 491

- Columbigallina minuta*, 468  
  *talpacoti*, 468  
*Colymbus nigricollis*, 199  
Condor, California, 360  
Conservation, 220, 352-364, 410, 580  
Contopus, 163  
  *virens*, 21, 156, 157, 161, 470  
Cooch, F. G., see MacInnes, C. D., and —  
Coot, American, 343, 368  
Copulation,  
  *Arremonops conirostris*, 135-139  
  *Eudypetes chrysocome*, 249  
  *Quiscalus quiscula*, 53  
  *Setophaga ruticilla*, 316  
*Coragyps atratus*, 343, 348, 468  
*Corapipo leucorrhoa*, 469  
Cormorant, Double-crested, 198, 499  
Corrigenda, 227, 586  
Corvidae, 470  
*Corvus brachyrhynchos*, 550  
*Cotinga ridgwayi*, 470  
Cotingidae, 470  
Cottam, Clarence (chairman), Ira N.  
  Gabrielson, H. Albert Hochbaum,  
  David A. Munro, Robert A. McCabe,  
  and Richard Pough, report of the  
  Committee on Bird Protection, 1962,  
  352-364  
*Coturnix japonica*, 486  
Cowbird, Brown-headed, 35, 153, 154, 373  
  Glossy, 198  
  Red-eyed, 373  
Cracidae, 468  
Crake, White-throated, 125  
Crane, Whooping, 352, 360  
Creeper, Brown, 371  
*Crotophaga ani*, 469  
  *major*, 469  
Crow, Common, 550  
Crozetts, 230  
*Crypturellus soui*, 468  
Cuculidae, 469  
Curlew, Eskimo, 361  
  Long-billed, 79  
Curry-Lindahl, Kai, exploration du Parc  
  National Albert et du Parc National  
  de la Kagera—II (rev.), 564-565  
*Cyanerpes cyaneus*, 5, 500  
*Cyanocitta*, 471  
  *cristata*, 31, 374, 377, 470  
  *stelleri*, 377  
Cyclarhidae, 470  
*Cyclarhis gujanensis*, 470  
*Cypseloides niger borealis*, 83  
*Cyrtonyx montezumae*, 505  
*Dacnis cayana*, 470  
  *venusta*, 470  
*Damophila julie*, 469  
Davis, David E., see Dunmore, Ralph,  
  and —  
Davis, John, review by, 566-567  
*Dendragapus obscurus*, 81  
*Dendrocincla homochroa*, 469  
Dendrocolaptidae, 469  
*Dendrocopos borealis*, 375  
  *pubescens*, 24, 375, 550  
  *scalaris*, 535  
  *villosus*, 24, 375  
*Dendrocygna autumnalis*, 368  
  *bicolor*, 368  
*Dendroica castanea*, 29  
  *coronata*, 499  
  *fusca*, 29  
  *pennsylvanica*, 470  
  *petechia*, 21  
  *tigrina*, 29  
  *virens*, 21  
de Schauensee, R. M., Yellow-headed  
  Blackbirds at sea in the Atlantic  
  Ocean, 549  
Devincenzia, 113  
  *gallinali*, 113, 115  
*Dichromanassa rufescens rufescens*, 362  
Dicruridae, 515  
*Dicrurus adsimilis*, 196  
  *leucops*, 197  
  *paradiseus*, 197  
Dioch, Red-billed, 172  
*Diomedea immutabilis*, 191  
  *nigripes*, 191  
Disease, of birds, 215, 402, 570  
Distribution, 98-100, 198, 199-201, 201,  
  216, 230, 365, 367, 368, 370, 371, 374,  
  375, 378, 379, 402-404, 540, 544, 548,  
  571  
Dixon, Keith L., review by, 554  
*Dolichonyx oryzivorus*, 166  
Dorst, Jean, the migrations of birds  
  (rev.), 558-560

- Dove, Mourning, 153, 154, 513, 514, 518,  
519, 521, 528, 530, 532, 549, 550  
Ring, 48-51  
Rock, 518  
Drepanididae, 362  
Dromiceius n. hollandiae, 471  
Drongo, Fork-tailed, 196  
Drury, William H., Jr., review by, 209-213  
Dryocopus lineatus, 469  
pileatus, 375  
Duck, Black-bellied Tree, 368  
Canvasback, 358  
Fulvous Tree, 368  
Greater Scaup, 487, 489  
Hawaiian, 359  
Laysan, 191, 192, 194, 359  
Mallard, 5, 6, 257-289  
Mexican, 359  
Mottled, 489, 490  
Pintail, 257-289  
Redhead, 358  
Ruddy, 268, 369  
Ruddy Sheld-Duck, 487-489  
Shoveler, 510  
Dumetella carolinensis, 24  
Dunham, David W., head-scratching in  
the Hairy Woodpecker, Dendrocopos  
villosus, 375  
Dunmore, Ralph, and David E. Davis,  
reproductive condition of feral pi-  
geons in winter, 374  
Eagle, Golden, 362  
Lesser Spotted, 439  
Snake, 439  
Ecology, 9-47, 100, 217, 405, 572  
Eggs, description of,  
Calothorax lucifer, 371  
Larus minutus, 548  
Egret, Cattle, 196, 378, 547  
Common, 198, 199, 295-300  
Reddish, 362  
Snowy, 198, 199  
Eibl-Eibesfeldt, Irenäus, Galapagos—the  
Noah's ark of the Pacific (rev.), 91-  
93  
Eisenmann, Eugene, Mississippi Kite in  
Argentina; with comments on migra-  
tion and plumages in the genus  
Ictinia, 74-77; review by, 390-391,  
396-397  
Elanoides forficatus, 75  
Emberizinae, 320  
Embryology, 94, 214, 398, 568  
Emlen, John T., review by, 564-565  
Empidonax, 156, 157, 163, 164  
flaviventris, 470  
traillii, 156, 157, 161  
Emu, 471  
Eriksson, Paul S., see Krutch, Joseph  
Wood, and —  
Erolia maritima, 499  
Estrilda troglodytes, 508, 511, 512  
Eudocimus albus, 340, 347, 348  
Eudytes chrysocome, 229-256  
chrysolophus schlegeli, 229, 232  
pachyrhynchus, 253  
Eudyptula minor, 253  
Euphagus carolinus, 544  
cyanocephalus, 550  
Evolution, 217, 407, 574  
Falco, 471  
columbarius, 516  
concolor, 516  
mexicanus, 516  
peregrinus, 516  
peregrinus babylonicus, 516  
rusticolus, 516  
sparverius, 468, 516  
tinnunculus, 516  
Falcon, Peregrine, 516  
Prairie, 516  
Red-naped Shaheen, 516  
Sooty, 516  
Falconidae, 432, 468  
Falconiformes, 417  
Falkland Islands, 230, 231, 233, 237  
Fat, relation to body weight, 324-327  
French, Richard, Bulwer's Petrel (Bul-  
weria bulwerii) in Trinidad, West  
Indies, 379  
Ficken, Millicent S., courtship of the  
American Redstart, 307-317  
Ficken, Robert W., courtship and agonis-  
tic behavior of the Common Grackle,  
Quiscalus quiscula, 52-72  
Finch, House, 513-515, 518-524, 529, 531,  
532  
Warbler, 373  
Woodpecker, 372

- Zebra, 509, 510, 514, 515, 518, 533  
Fisher, Harvey I., see Goodman, Donald C., and —  
Flicker, Yellow-shafted, 375, 544, 550  
Florida, 111-115, 335-355, 365, 367, 471  
Florida caerulea, 6, 339, 348, 468, 500  
Flycatcher, Fork-tailed, 85, 159  
    Great Crested, 160  
    Traill's, 156, 161  
Food habits,  
    Foraging methods of hawks, 437, 438  
    Agelaius phoeniceus, 550  
    Burhinus bistriatus, 79  
    Camarhynchus pallidus, 372  
    Capella gallinago, 550  
    Charadrius vociferus, 550  
    Corvus brachyrhynchos, 550  
    Euphagus cyanocephalus, 550  
    Larus delawarensis, 550  
    Parus atricapillus, 25-31  
    Parus carolinensis, 25-31  
    Podilymbus podiceps, 550  
    Porphyryla martinica, 545  
    Quiscalus quiscula, 550  
    Sterna albifrons, 544  
    Sturnus vulgaris, 550  
    Totanus melanoleucus, 550  
    Turdus migratorius, 550  
Formicariidae, 469  
Franklinia, 4  
Fratercula, 4  
Fringilla coelebs, 201  
    montifringilla, 201  
Fringillidae, 470  
Fulica, 344  
    americana, 347, 348, 368, 468, 546  
    minor, 347, 348  
Furnariidae, 469  
  
Gabrielson, Ira N., see Cottam, Clarence, et al.  
Galápagos, 91-93 (rev.), 202-207 (rev.), 372  
Galliformes, 491  
Gallinula **brodkorbi**, 344-346, 348, 351  
    chloropus, 344-346, 348, 368  
    chloropus sandvicensis, 361  
Gallinule, Common, 368  
    Hawaiian, 361  
    Purple, 368, 545-547  
  
Gallirallus australis, 254  
Gannet, 6, 199  
    Australian, 251  
Genetics, 217, 407, 574  
Georgia, 545-547  
Geospiza fortis, 372  
    fuliginosa, 372  
    magnirostris, 372  
Geospizinae, 372  
Geothlypis chiriquensis, 470  
    trichas, 21  
Geotrygon chiriquensis, 468  
    chrysis, 462  
Gilliard, E. Thomas, on the breeding behavior of the Cock-of-the-rock (Aves, Rupicola rupicola) (rev.), 381-384  
Glaucis hirsuta, 469  
Godwit, Hudsonian, 361  
Goldfinch, American, 201, 499  
    European, 73, 201  
Gonadal measurements, 169, 170, 552  
Goodman, Donald C., review by, 555  
Goodman, Donald C., and Harvey I. Fisher, functional anatomy of the feeding apparatus in waterfowl (rev.), 562-564  
Goose, Blue, 78  
    Canada, 78, 257-289, 358, 366  
    Giant Canada, 362  
    Hawaiian, 359  
    Ross', 77-79, 354  
    White-fronted, 200, 358  
Goshawk, 437-440, 516  
    Mexican, 417  
Gough Island, 230  
Grackle, Common, 52-72, 152, 550  
    Rice, 373  
Grassquit, Blue-black, 135  
    Melodious, 73  
Grebe, Eared, 199  
    Horned, 499  
    Least, 368  
    Pied-billed, 343, 368, 447-452, 550  
Greenfinch, 201  
Greenway, James C., Jr., see Mayr, Ernst, and —  
Grimm, Robert J., and Walter M. Whitehouse, pellet formation in a Great Horned Owl: a roentgenographic study, 301-306

- Grosbeak, Black-headed, 201  
 Grouse, Blue, 81  
*Grus americana*, 344, 348, 360  
 Gull, Bonaparte's, 548  
     Franklin's, 4, 200  
     Glaucous, 200  
     Herring, 79, 153, 200, 375, 499  
     Laughing, 375, 451, 544  
     Little, 548  
     Ring-billed, 376, 550  
     Sabine's, 4  
 Gunn, William W. H., prairie spring—"LP recording (rev.)", 93  
*Gymnogyps amplus*, 343, 348  
     californianus, 360  
 Gyrfalcon, 516  
 Hailman, Jack P., Herring Gull extends breeding range south to North Carolina, 375-376  
 Hall, B. P., and R. E. Moreau, a study of the rare birds of Africa (rev.), 90  
 Hammond, E. A., Dr. Strobel's account of John J. Audubon, 462-466  
 Hardy, John William, editor, Recent Literature, 94-106, 214-224, 398-413, 568-585  
 Harpagus, 434  
 Harrison, C. J. O., interspecific preening display by the Rice Grackle, *Psomocolax oryzivorus*, 373-374  
 Harrison, P. P. O., sea birds of the south Pacific Ocean (rev.), 396-397  
 Hartman, F. A., and M. A. Lessler, erythrocyte measurements in birds, 467-473  
 Hawk, Broad-winged, 417-446  
     Cooper's, 369, 434, 437-440, 516  
     European Sparrow, 434  
     Ferruginous, 437, 438  
     Gray, 417-446  
     Marsh, 369  
     Red-shouldered, 417-446  
     Red-tailed, 437-439, 516  
     Ridgway's, 417-446  
     Roadside, 417-446  
     Rough-legged, 437, 438, 516  
     Sharp-shinned, 434, 437-440, 516  
     Sparrow, 516  
     Swainson's, 437, 438  
     White-tailed, 437, 438  
     Zone-tailed, 437, 438  
 Head-scratching, 375  
 Heard Island, 229, 230  
*Heliiodoxa jacula*, 469  
*Heliornis fulica*, 468  
*Heliornithidae*, 468  
 Helms, Carl W., tentative field estimates of metabolism in buntings, 318-334  
 Heron, Black-crowned Night, 297, 298, 378  
     Common, 297, 298, 299  
     Great Blue, 297, 298, 378, 499  
     Green, 378  
     Little Blue, 6, 500  
     Louisiana, 100, 198  
*Hieraaëtus*, 432  
*Himantopus himantopus knudseni*, 362  
     mexicanus, 468  
*Hirundinidae*, 470  
*Hirundo rustica*, 549  
 Hochbaum, H. Albert, see Cottam, Clarence, *et al.*  
 Honeycreeper, Blue, 5  
 Howell, Arthur H., memorial to, 290-294  
 Howell, Thomas R., review by, 385-387  
 Hummingbird, Lucifer, 370  
     Ruby-throated, 31  
 Humphrey, Philip S., and Kenneth C. Parkes, comments on the study of plumage succession, 496-503  
 Hundley, Margaret H., wing-flashing in the Galápagos Mockingbird, 372; notes on methods of feeding and the use of tools in the Geospizinae, 372-373  
 Hunter, William F., see Baldwin, Paul H., and —  
 Hybridization,  
     *Parus atricapillus* × *Parus carolinensis*, 15-19  
*Hydranassa tricolor*, 198, 339  
*Hydroprogne caspia*, 365, 549  
*Hylocichla*, 166-174  
     guttata, 166, 167  
     minima, 166, 167  
     ustulata, 166, 167  
 Ibis, Glossy, 200  
     White-faced, 200  
*Icteridae*, 470  
*Icterus galbula*, 470  
     mesomelas, 470  
     spurius, 549



- Ictinia, 74-77  
  mississippiensis, 74-77  
  plumbea, 74-77  
Imhof, Thomas A., Alabama birds (rev.), 90-91  
Incubation period,  
  measuring, 453-461  
  Eudypetes chrysocome, 235  
  Hydroprogne caspia, 366  
  Troglodytes aedon, 454  
Iowa, 550  
Ixobrychus exilis, 339, 368  
  
Jacana spinosa, 468  
Jacanidae, 468  
Jaeger, Parasitic, 79, 200  
James, Pauline, Fork-tailed Flycatcher (Muscivora tyrannus tyrannus) taken in Texas, 85  
Jameson, E. W., Jr., the hawking of Japan (rev.), 557  
Jay, Blue, 31, 374, 377  
  Steller's, 377  
Johnson, Ned K., and Hans J. Peeters, the systematic position of certain hawks in the genus Buteo, 417-446  
Johnston, David W., the biosystematics of American crows (rev.), 566-567  
Junco, Slate-colored, 166, 171, 320-333, 505  
Junco hyemalis, 166, 320-333, 505, 511, 512  
Junge, George Christoffel Alexander, obituary of, 109  
  
Kahl, M. Philip, Jr., mortality of Common Egrets and other herons, 295-300  
Kalmbach, E. R., in memoriam: W. L. McAtee, 474-485  
Kendeigh, S. Charles, report of the Research Committee for 1962, 190; new ways of measuring the incubation period of birds, 453-461  
Kenyon, Karl W., further observations of Whooper Swans in the Aleutian Islands, Alaska, 540-542  
Kerguelen, 230  
Kestrel, 516  
Killdeer, 544, 550  
Kingbird, Eastern, 159  
  Gray, 200, 463  
Kingfisher, Belted, 199  
  European, 499  
Kite, Everglade, 360  
  Mississippi, 74-77  
  Plumbeous, 74-77  
  Swallow-tailed, 75  
Krutch, Joseph Wood, and Paul S. Eriksson (editors), a treasury of birdlore (rev.), 384  
  
Land, Hugh C., and William L. Schultz, a proposed subspecies of the Great Potoo, Nyctibius grandis (Gmelin), 195-196  
Laniidae, 515  
Lanius collurio, 6  
  excubitor, 516  
  ludovicianus, 508, 516  
Larus argentatus, 153, 200, 499  
  argentatus smithsonianus, 79, 375  
  atricilla, 375, 451, 544  
  delawarensis, 376, 550  
  hyperboreus, 200  
  minutus, 548  
  philadelphia, 548  
  pipixcan, 4, 200  
Laterallus albigularis, 125, 468  
Legatus leucophaeus, 76  
Lepidocolaptes affinis, 469  
Lessler, M. A., see Hartman, F. A., and —  
Leucophoyx, 471  
  thula, 198, 339, 468  
Life history,  
  Stelgidopteryx ruficollis (rev.), 388  
Ligon, J. David, breeding range expansion of the Burrowing Owl in Florida, 367-368  
Limosa haemastica, 361  
Lister, Michael, a bird and its bush (rev.), 556-557  
Longevity,  
  Ardea cinerea, 297, 298  
  Ardea herodias, 297  
  Casmerodius albus, 295, 297  
  Nycticorax nycticorax, 297  
  Parus atricapillus, 34  
  Parus carolinensis, 34  
Lophaetus, 432, 433  
Lophodytes cucullatus, 198, 342, 343, 348

- Lophortyx gambelii*, 505, 530  
*Lophortyx pileatus*, 470  
 Louisiana, 447-452  
 Lunk, William A., the Rough-winged Swallow *Stelgidopteryx ruficollis* (Vieillot) (rev.), 388-389  
  
 MacInnes, C. D., and E. B. Chamberlain, the first record of the Double-striped Thick-knee in the United States, 79  
 MacInnes, C. D., and F. G. Cooch, additional eastern records of Ross' Goose (*Chen rossii*), 77-79  
 Macquarie Island, 229-256  
*Macronus striaticeps mindanensis*, 543  
 Maine, 201  
*Malimbus rubriceps*, 532  
*Manacus vitellinus*, 469  
 Management, 220, 410, 580  
 Mansell, W. Dan, see Buerkle, Udo, and —  
*Mareca americana*, 342, 348  
 Marion Island, 230  
 Matthews, Barbara Marshall, a case of joint nidification in Ring Doves, 48-51  
 Mayfield, Harold, review by, 388-389  
 Mayr, Ernst, obituary of George Christoffel Alexander Junge, 109  
 Mayr, Ernst, and James C. Greenway, Jr. (editors), check-list of birds of the world, vol. XV (rev.), 392-393  
 McAtee, Waldo Lee, memorial to, 474-485  
 McCabe, Robert A., see Cottam, Clarence, *et al.*  
 McCoy, John J., the fossil avifauna of Itchtucknee River, Florida, 335-351  
 McDaniel, Burruss, and Shirley McDaniel, feeding of Least Terns over land, 544  
 McDaniel, Shirley, see McDaniel, Burruss, and —  
 Meanley, Brooke, pre-nesting activity of the Purple Gallinule near Savannah, Georgia, 545-547  
 Measurements, of birds,  
     *Branta canadensis* ssp., 366  
     *Chaetura vauxi*, 84  
     *Larus minutus*, 548  
     *Nyctibius grandis grandis*, 195, 196  
     *Nyctibius grandis guatemalensis*, 195  
     *Stachyris capitalis isabelae*, 543  
     *Todus mexicanus*, 551  
     Measurements, of eggs,  
         *Calothorax lucifer*, 371  
         *Chaetura vauxi*, 82  
         *Larus minutus*, 548  
         *Parus atricapillus*, 40  
         *Parus carolinensis*, 40  
     Measurements, erythrocyte, 467-473  
     Measurements, gonadal, 169, 170, 552  
     *Megascyle alcyon*, 199  
     *Megadyptes antipodes*, 231, 244  
     Meitzen, Travis C., additions to the known breeding ranges of several species in south Texas, 368-369  
*Melanerpes erythrocephalus*, 21  
     *formicivorus*, 469  
*Meleagris gallopavo*, 115, 344, 348  
*Melospiza undulatus*, 510-512, 519, 532  
*Melospiza melodia*, 320-333, 518  
     *melodia cooperi*, 511, 512, 519  
     *m. maxillaris*, 511, 512, 519, 521  
     *m. samuelis*, 153, 511, 512, 519, 521  
 Mengel, Robert M., notes and news, 107-109, 225-227, 414, 586; reviews by, 93, 213, 384, 392-393, 393-395, 395-396, 557  
 Merganser, American, 343  
     Hooded, 198, 199  
     Red-breasted, 198, 199  
*Mergus merganser*, 115, 343, 348  
     *serrator*, 198  
 Merlin, 516  
 Metabolism in buntings, 318-334  
 Meyerriecks, Andrew J., see Woelfenden, Glen E., and —  
 Micrastur, 434  
     *semitorquatus*, 434  
*Micrathene whitneyi*, 535  
 Migration, 74, 78, 221, 379, 411, 540, 544, 549, 579  
*Mimus polyglottos*, 372, 508  
 Miskimen, Mildred, the syrinx in certain tyrant flycatchers, 156-165  
 Mississippi, 199-201  
*Mitrephanes phaeocercus*, 470  
*Mixornis capitalis*, 543  
*Mniotilta varia*, 31, 470  
 Mockingbird, Galápagos, 372  
*Molothrus ater*, 35, 153, 373  
     *bonariensis*, 198

- Molt,  
feather replacement, 486-495  
nomenclature, 1-8, 496-503  
plumage succession, 496-503  
Agelaius tricolor, 552-553  
Alectoris chukar, 80, 486  
Chaetura vauxi, 84  
Eudypetes chrysocome, 252
- Montana, 81-85
- Moreau, R. E., see Hall, B. P., and —
- Morse, Margarette E., another albinistic  
Blue Jay, 374
- Mortality,  
Agelaius phoeniceus, 145-155  
Ardeidae, 295-300  
Eudypetes chrysocome, 254  
Parus atricapillus, 33-35  
Parus carolinensis, 33-35  
Xanthocephalus xanthocephalus, 145-155
- Morus bassanus, 199
- Motacilla spp., 518
- Motacillidae, 518
- Mountfort, Guy, the wild Danube (rev.),  
395-396
- Moynihan, M., display patterns of tropical American "nine-primaries" songbirds, III. The Green-backed Sparrow, 116-144; the organization and probable evolution of some mixed species flocks of Neotropical birds (rev.), 554; reviews by, 381-394
- Munro, David A., see Cottam, Clarence, *et al.*
- Murphy, Robert Cushman, obituary of Lord William Percy, 414-416
- Murre, Common, 499  
Thick-billed, 354
- Muscicapidae, 515
- Muscivora, 163, 164  
tyrannus, 76, 156, 157, 159  
tyrannus tyrannus, 85
- Muscles (syringeal), 157-165
- Mycteria americana, 340, 348
- Myiarchus, 156-158, 163-165  
barbirostris, 157  
berlepschii, 157  
cinerascens, 157  
crinitus, 156-158, 160  
nuttingi, 157  
sclateri, 157  
stolidus, 157  
validus, 157
- Myioborus miniatus, 470
- Myiodynastes luteiventris, 76  
maculatis, 76
- Myiozetetes cayenensis, 470
- Myology, 156-165
- Nectarinia takazze, 4
- Nectariniidae, 515
- Nene, 359
- Nesomimus [? trifasciatus] melanotis, 372
- Nesting,  
Chaetura vauxi, 81-85  
Larus minutus, 548
- Podilymbus podiceps, 448
- Streptopelia risoria, 48-51
- Todus mexicanus, 551
- Nesting success,  
Podilymbus podiceps, 449
- New Brunswick, 85
- Nice, Margaret Morse, development of behavior in precocial birds (rev.), 385-387
- Nichols, Charles Ketcham, obituary of, 227
- Norris, Robert A., review by, 556-557
- North Carolina, 375
- Notharchus macrorhynchos, 469
- Nova Scotia, 565 (rev.)
- Numenius americanus, 79  
borealis, 361
- Nuthatch, White-breasted, 24, 31, 550
- Nyctanassa violacea, 339
- Nyctea scandiaca, 516
- Nyctibiidae, 469
- Nyctibius grandis, 195  
grandis guatemalensis, 195  
griseus, 469
- Nycticorax nycticorax, 297, 337, 339, 348, 378
- Nyctidromus albigollis, 469
- Obituary of, Beecher S. Bowdish, 416; Sterling Gene Clawson, 109; George Christoffel Alexander Junge, 109; Charles Ketcham Nichols, 227; Lord William Percy, 414-416
- Oceanodroma leucorhoa, 525

- Odontophorus guttatus*, 468  
*Oenanthe oenanthe*, 499  
*Olor buccinator*, 340, 347, 348, 359  
     *columbianus*, 340, 348, 541  
     *cygnus*, 540  
*Onactornis*, 113, 115  
     *depressus*, 113, 115  
     *pozzii*, 113, 115  
 Ontario, 378, 548  
 Orians, Gordon H., notes on fall-hatched  
     Tricolored Blackbirds, 552-553  
 Orientation,  
     General, 221, 411, 577  
     Waterfowl, 257-289  
 Oriole, Orchard, 549  
 Ostrich, 471  
*Otus asio*, 508, 516  
     *choliba*, 469  
 Owl, Boreal, 516  
     Burrowing, 367  
     Elf, 535  
     Great Horned, 301-306, 371, 516  
     Hawk, 516  
     Screech, 516  
     Snowy, 516  
     Tawny, 516  
 Oxpecker, Red-billed, 196  
     Yellow-billed, 196  
*Oxyura jamaicensis*, 368, 369  
**Palaeophox**, 337  
     *columbiana*, 338, 348, 351  
 Paleontology, 103-106, 111-115, 223, 335-  
     351, 412, 582  
 Palmer, Ralph S. (editor), handbook of  
     North American birds, vol. I (rev.),  
     86-90; review by, 565  
*Pandion haliaetus*, 344, 348  
*Parabuteo*, 431, 432, 433  
 Parasitism, 35  
 Parasitology, 215, 402, 570  
*Pardirallus*, 344  
 Paridae, 515  
 Parkes, Kenneth C., a new subspecies of  
     tree-babbler from the Philippines,  
     543-544; see Humphrey, Philip S.,  
     and —  
 Parks, John M., and Sandra L. Bressler,  
     observations of joint feeding activi-  
     ties of certain fish-eating birds, 198-  
     199  
 Parrot, Puerto Rican, 361  
 Partridge, Chukar, 80, 486-490  
 Parulidae, 470  
 Parus, 443  
     *ater*, 29  
     *atricapillus*, 9-49  
     *atricristatus*, 29  
     *bicolor*, 21  
     *caeruleus*, 29  
     *carolinensis*, 9-47  
     *hudsonicus*, 36  
     *inornatus*, 29  
     *major*, 29  
     *montanus*, 38, 39  
     *palustris*, 29  
     *rufescens*, 29  
*Passer domesticus*, 24, 487, 505, 508, 511,  
     512, 529  
*Passerculus princeps*, 362  
     *sandwichensis*, 510, 519, 532  
     *sandwichensis beldingi*, 511, 512, 519-  
         525, 532  
     *s. brooksi*, 511, 512, 518, 521, 525  
     *s. rostratus*, 511, 512, 518, 521, 525  
     *s. sanctorum*, 533  
*Passerella iliaca*, 320-333, 511, 512  
*Passeriformes*, 2, 491  
 Peeters, Hans J., see Johnson, Ned K.,  
     and —  
 Pelecanidae, 468  
*Pelecanus erythrorhynchos*, 198  
     *occidentalis*, 468  
 Pelican, White, 198  
 Pellet formation in owls, 301-306  
 Penguin, Adélie, 239, 243, 244  
     Gentoo, 250  
     King, 241, 243, 244  
     Macaroni, 243  
     Rockhopper, 229-256  
     Royal, 229, 230, 231, 243  
     Yellow-eyed, 243  
 Percy, Lord William, obituary of, 414-  
     416  
 Pesticide, effects of, 209-213 (rev.)  
 Peterson, Roger Tory, how to know the  
     birds (rev.) 93  
 Petrel, Bonin Island, 192, 193  
     Bulwer's, 191-193, 379  
     Leach's, 193, 525

- Pettingill, Olin Sewall, Jr. (editor), *The Living Bird* (rev.), 393-395
- Phaethornis guy, 469
- Phalacrocoracidae, 468
- Phalacrocorax auritus, 115, 198, 337, 348, 468, 499
- Phalaenoptilus nuttallii, 508, 509
- Phalaropodidae, 4
- Pharomachrus mocino, 469
- Phasianidae, 468
- Pheucticus melanocephalus, 201, 511, 512 tibialis, 470
- Philippine Islands, 543
- Philohela minor, 85
- Phloeocastes guatemalensis, 469
- Phoebe, Eastern, 160
- Phorusrhacidae, 111
- Phorusrhacinae, 111
- Phorusrhacoidea, 111-115
- Phorusrhacos, 111, 113 longissimus, 113, 115
- Phylloscopus, 5, 501 trochilus, 5 sibilatrix, 5
- Physiology, 102, 156-165, 222, 411, 580
- Piapiac, 197
- Piaya cayana, 469
- Picidae, 469
- Pionus senilis, 468
- Pipilo aberti, 508, 509, 512 fuscus, 371, 508, 509, 511, 512 maculatus, 508
- Pipit, Rock, 518 Water, 499
- Pipridae, 469
- Piranga olivacea, 1 rubra, 21
- Plegadis chihi, 200 falcinellus, 200
- Ploceus, 4
- Plover, Blackhead, 373
- Plumage, Accipiters, 433-435 Buteos, 419-431 Ictinia, 74-77
- Plumage and molts (nomenclature), 1-8, 496-503
- Podiceps auritus, 337, 348, 499 dominicus, 468 dominicus brachypterus, 368 Podicipedidae, 468
- Podilymbus magnus, 115, 337, 348 podiceps, 337, 347, 348, 368, 447-452, 468, 550
- Poecile, 443
- Poor-will, 509, 510, 527
- Population, 37, 100, 217, 405, 572
- Porphyriops, 345
- Porphyryula, 344 martinica, 368, 468, 545-547
- Porzana carolina, 344, 348, 499 pusilla intermedia, 542
- Potoo, Great, 195
- Pough, Richard, see Cottam, Clarence, *et al.*
- Prairie Chicken, 360 Attwater's, 360
- Predation, 35
- Preening, interspecific, 373
- Prion, Fairy, 193
- Prionopidae, 515
- Procellaria puffinus, 258
- Procellariiformes, 252
- Progne chalybea, 76, 470
- Protonotaria citrea, 21
- Psilopteridae, 111
- Psittacidae, 468
- Psittaciformes, 491
- Psomocolax oryzivorus, 373
- Pterocles spp., 517
- Pterodroma hypoleuca, 193
- Pteroglossus torquatus, 469
- Ptilostomus jafer, 197
- Puerto Rico, 198, 551
- Puffinus nativitatis, 193 pacificus, 191 tenuirostris, 193
- Pulich, Warren M., Sr., and Warren M. Pulich, Jr., the nesting of the Lucifer Hummingbird in the United States, 370-371
- Pulich, Warren M., Jr., see Pulich, Warren M., Sr., and —
- Pygocelidon cyanoleuca, 470
- Pygoscelis adeliae, 239, 249 papua, 250
- Pyrrhura hoffmanni, 468
- Quail, Bobwhite, 81, 505 California, 505, 513-515, 519, 521, 530

- Gambel's, 505, 515  
Harlequin, 505, 515  
Japanese, 486  
Quail-dove, Key West, 462  
Quelea quelea, 172  
Quercyrallus, 542  
    **ludianus**, 542  
Quiscalus quiscula, 52-72, 152, 347, 348, 550  
    quiscula quiscula, 52  
    q. versicolor, 52  
  
Rallidae, 468  
Rallus, 344  
    elegans, 344, 348, 468  
    intermedius, 542  
    limicola, 344, 358  
Ramphastidae, 469  
Ramphastos swainsoni, 469  
Ramphocelus, 116, 117, 119, 125, 129, 135  
    dimidiatus, 117, 143, 586  
    passerinii, 470, 586  
Rand, Austin L., review by, 86-90  
Recurvirostridae, 468  
Redpoll, Common, 201  
Redstart, American, 31, 307-317  
Rhea americana, 471  
Rheidae, 111  
Rhinoptynx clamator, 469  
Rice, Dale W., birds associating with elephants and hippopotamuses, 196-197  
Richmondia cardinalis, 508, 509  
Robin, 153, 369, 377, 550  
Rolle, Francis J., notes on the nesting burrow and the young of the Puerto Rican Tody (*Todus mexicanus*), 551  
Rostrhamus sociabilis plumbeus, 360  
Rupornis, 432, 433, 443  
Rynchopidae, 549  
Rynchops nigra, 365, 549  
  
Salpinctes obsoletus, 515, 530  
Saltator, Streaked, 121  
Saltator albicollis, 121, 470  
    atroceps, 470  
Sandpiper, Common, 197  
    Purple, 499  
Sapsucker, Yellow-bellied, 375  
  
Sarciophorus tectus, 373  
Sarcoramphus papa, 468  
Sauer, E. G. Franz, review by, 558-560  
Sayornis, 163  
    phoebe, 157, 160  
Schantz, Viola S., in memoriam: Arthur H. Howell, 290-294  
Schönwetter, Max, Handbuch der Oologie (rev.), 390-391  
Schultz, William L., see Land, Hugh C., and —  
Scott, George A., first nesting of the Little Gull (*Larus minutus*) in Ontario and in the New World, 548-549  
Seedeater, Variable, 121  
    Yellow-bellied, 121  
Seiurus, 375  
Selasphorus, 471, 472  
    scintilla, 469  
Setophaga ruticilla, 31, 307-317  
Shearwater, Christmas Island, 192, 193  
    Manx, 258  
    Slender-billed, 193  
    Wedge-tailed, 191-193  
Sheld-Duck, Ruddy, 487-489  
Shrike, Loggerhead, 516  
    Northern, 516  
    Red-backed, 6  
Sialia sialis, 24  
Sibley, Charles G., Treasurer's report for the period August 1, 1961-July 31, 1962, 185-189  
Sikkim, 385 (rev.)  
Simon, Hilda, the study of birds made simple (rev.), 213  
Siskin, European, 201  
Sitta carolinensis, 24, 550  
Sittasomus griseicapillus, 469  
Skimmer, Black, 365, 549  
Skinner, Robert W., albinism in a Canada Goose, 366  
Skua, Southern, 230  
Snipe, Common, 550  
Snow, D. W., a field study of the Black and White Manakin, *Manacus manacus*, in Trinidad (rev.), 381-384  
Sora, 499  
Sparrow, Black-throated, 371, 379, 530  
    Cape Sable, 362

- Chipping, 377  
Dusky Seaside, 362  
Fox, 320-333  
Green-backed, 116-144  
House, 24, 487, 505, 531  
Ipswich, 362  
Rufous-crowned, 371  
Savannah, 510-512, 514, 518, 520-524, 533  
Song, 153, 320-333, 362, 511, 512, 518, 521  
Tree, 320-333, 550  
White-throated, 171, 173, 320-333, 505  
*Spatula clypeata*, 342, 343, 348  
*Speotyto cunicularia*, 469  
    *cunicularia floridana*, 367  
*Sphenisciformes*, 491  
*Sphyrapicus varius*, 375  
*Spinus tristis*, 201, 499  
*Spizaetus*, 434  
*Spizastur melanoleucus*, 434  
*Spizella arborea*, 320-333, 550  
    *passerina*, 377  
*Sporophila aurita*, 121  
    *nigricollis*, 121  
*Sporpipes squamifrons*, 532  
St. Paul Rocks, 230  
*Stachyris*, 543  
    *capitalis*, 543  
    *capitalis capitalis*, 543  
    c. *isabelae*, 543  
    *hypogrammica*, 543  
    *nigrocapitata*, 543  
Starling, 2, 257, 544, 550  
*Stelgidopteryx ruficollis*, 470  
*Stercorarius parasiticus*, 79, 200  
*Sterna albifrons*, 544  
    *hirundo*, 257  
Sterninae, 4, 549  
Stilt, Hawaiian, 362  
*Streptopelia risoria*, 48-51  
Stresemann, Erwin, the nomenclature of plumages and molts, 1-8  
Strigidae, 469  
*Strix aluco*, 516  
    *varia*, 469  
*Struthio camelus*, 471  
Struthionidae, 471  
*Sturnus vulgaris*, 2, 257, 544, 550  
*Sula bassana*, 6  
    *dactylatra*, 194  
    *serrator*, 251  
    *sula*, 194  
*Surnia ulula*, 516  
Swallow, Barn, 549  
Swan, Trumpeter, 359  
    Whistling, 541, 542  
    Whooper, 540-542  
Swift, Black, 83  
    Chimney, 82, 84  
    Vaux's, 81-85  
*Sylvia*, 5, 501  
    *atricapilla*, 257  
    *borin*, 5, 257  
    *communis*, 5  
Sylviidae, 515  
*Synallaxis brachyura*, 469  
*Syrinx* (Tyrannidae), 156-165  
Szöke, P., zur Entstehung und Entwicklungsgeschichte der Musik (rev.), 387  
*Taeniopygia castanotis*, 508, 509, 511, 512, 519, 532  
Tanager, Crimson-backed, 117-144  
    Scarlet, 1, 2  
    Summer, 21  
*Tanagra icterocephala*, 470  
*Tangavius aeneus*, 373  
Tanner, James T., review by, 90-91  
*Taraba major*, 469  
Taxonomy, 103-106, 111-115, 195, 223, 412, 417-446, 542, 543, 582  
Teal, Blue-winged, 257-289, 368, 369, 374  
    Cinnamon, 374  
Temperature, of birds, 191-194  
    incubation, 455  
*Teratornis merriami*, 343, 348  
Tern, Black, 548  
    Caspian, 365, 549  
    Common, 257  
    Least, 544  
    Royal, 549  
Testis cycle, regulation of, 166-174, 552-553  
Texas, 79, 85, 368, 370, 544  
*Thalasseus maximus*, 549  
*Thalurania furcata*, 469  
Thick-knee, Double-striped, 79  
Thrasher, Crissal, 371

- Thraupidae, 470  
*Thraupis episcopus*, 470  
 Thrush, Clay-colored, 121  
     Gray-cheeked, 167  
     Hermit, 167-173  
     Swainson's, 167-173  
*Thryomanes bewickii*, 371  
*Thryothorus fascioventris*, 470  
     *modestus*, 470  
*Tiaris bicolor bicolor*, 73  
     *canora*, 73  
     *olivacea*, 470  
 Tierra del Fuego, 230  
*Tigrisoma*, 471, 472  
     *cabanisi*, 339  
     *lineatum*, 339, 468  
 Timaliidae, 515  
 Tinamidae, 468  
 Tit, Blue, 29  
     Coal, 29  
     Great, 29  
     Marsh, 29  
     Willow, 38  
**Titanis**, 111-115  
     **walleri**, 113-115  
 Titmouse, Black-crested, 29  
     Plain, 29  
     Tufted, 21, 22, 25, 29, 31  
*Tityra semifasciata*, 470  
*Todirostrum cinereum*, 470  
*Todus mexicanus*, 551  
 Tody, Puerto Rican, 551  
 Tomkins, Ivan R., skimmer-like behavior  
     in the Royal and Caspian terns, 549  
*Totanus melanoleucus*, 550  
 Towhee, Abert's, 509, 513  
     Brown, 371, 509, 513  
*Toxostoma dorsale*, 371, 511, 512  
     *redivivum*, 508  
 Traylor, Melvin A., review by, 560-561  
 Tree-babbler, Rufous-crowned, 543  
*Tringa hypoleucos*, 197  
 Trinidad, 379, 381 (rev.)  
 Tristan da Cunha, 230, 234, 235  
 Trochilidae, 469  
*Troglodytes aedon*, 453, 505, 508, 527  
     *musculus*, 470  
 Troglodytidae, 470  
*Trogon collaris*, 469  
     *massena*, 469  
 Trogonidae, 469  
 Tufts, Robie W., the birds of Nova  
     Scotia (rev.), 565  
 Turc k, F. J., review by, 387  
 Turdidae, 362, 470, 515  
*Turdus grayi*, 121, 470  
     *migratorius*, 153, 369, 377, 550  
     *plebejus*, 470  
 Turkey, 343  
 Turnicidae, 534  
*Tympanuchus cupido*, 360  
     *cupido attwateri*, 360  
     *pallidicinctus*, 360  
 Tyrannidae, 156-165, 470  
*Tyrannus*, 163, 164  
     *dominicensis*, 200, 462  
     *tyrannus*, 157, 159  
 Udvardy, Miklos D. F., data on the body  
     temperature of tropical sea and water  
     birds, 191-194  
*Uria aalge*, 499  
 Van Velzen, Willet T., records of the  
     Brown Creeper for interior Alaska,  
     371  
 Veery, 167, 172  
 Verdin, 515, 535  
*Vermivora bachmanii*, 362  
     *gutturalis*, 470  
*Vireo*, Gray, 371  
     Red-eyed, 21  
*Vireo*, 443  
     *flavoviridis*, 76  
     *olivaceus*, 21  
     *vicinior*, 371  
 Voice,  
     *Arremonops conirostris*, 119-136  
     *Porphyryla martinica*, 545  
     *Setophaga ruticilla*, 307  
*Volatinia jacarina*, 135  
 Vulture, Turkey, 164  
 Walkinshaw, Lawrence H., proceedings of  
     the Eightieth Stated Meeting of the  
     American Ornithologists' Union, 175-  
     185  
 Warbler, Bachman's, 362  
     Bay-breasted, 29  
     Black-and-white, 31



- Blackburnian, 29  
 Black-throated Green, 21, 29  
 Canada, 24  
 Cape May, 29  
 Garden, 257  
 Kirtland's, 352  
 Myrtle, 499  
 Prothonotary, 21, 24  
 Yellow, 21  
 Warham, John, the Rockhopper Penguin,  
*Eudyptes chrysocome*, at Macquarie  
 Island, 229-256  
 Water economy of birds, 504-539  
 Watson, George E., incomplete first pre-  
 basic molt in the Chukar Partridge,  
 80-81; a simultaneous nesting of the  
 Robin and the Blue Jay in one tree,  
 377-378; the mechanism of feather  
 replacement during natural molt,  
 486-495  
 Weight, of birds,  
*Branta canadensis* ssp., 366  
*Chaetura vauxi*, 82, 84  
*Eudyptes chrysocome*, 230, 237, 241  
*Junco hyemalis*, 321-333  
*Larus minutus*, 548  
*Melospiza melodia*, 321-333  
*Passerella iliaca*, 321-333  
*Spizella arborea*, 321-333  
*Todus mexicanus*, 551  
*Zonotrichia albicollis*, 321-333  
 Weka, 254  
 Weston, Henry G., Jr., dead fish as a  
 source of food for various birds,  
 550-551  
 Wetmore, Alexander, an early record of  
 the Cattle Egret in Colombia, 547  
 Wheatear, 499  
 Whip-poor-will, Puerto Rican, 362  
 White, C. M. N., a check list of the Ethi-  
 opian Muscicapidae (Sylviinae), part  
 I (rev.), 560-561; a revised check  
 list of African broadbills, pittas,  
 larks, swallows, wagtails and pipits  
 (rev.), 560-561; a revised check list  
 of African shrikes, orioles, drongos,  
 starlings, crows, waxwings, cuckoo-  
 shrikes, bulbuls, accentors, thrushes  
 and babblers (rev.), 560-561; a  
 check list of Ethiopian Muscicapidae  
 (Sylviinae), parts II and III (rev.),  
 560-561  
 Whitehouse, Walter M., see Grimm, Rob-  
 ert J., and —  
 Wildenthal, Joyce L., review by, 93  
 Williams, Lovett E., Jr., obituary of  
 Sterling Gene Clawson, 109  
 Williams, Lovett E., Jr., and Sterling  
 G. Clawson, first specimens of ten  
 species of birds for Mississippi, 199-  
 201  
*Wilsonia canadensis*, 24  
*pumila*, 470  
 Wing-flashing, 372  
 Wisconsin, 145-155, 374  
 Woodcock, American, 85  
 Woodpecker, Downy, 24, 25, 31, 375, 500  
   Hairy, 24, 375  
   Ivory-billed, 361  
   Ladder-backed, 535  
   Pileated, 82, 375  
   Red-bellied, 375  
   Red-cockaded, 375  
   Red-headed, 21  
 Wood Pewee, Eastern, 21, 156, 161  
 Woolfenden, Glen E., and Andrew J.  
 Meyerrieks, Caspian Tern breeds in,  
 Florida, 365-366  
 Wren, Bewick's, 371  
   House, 24, 25, 31, 453-461, 505, 509  
   Rock, 515, 530, 535  
 Wright, Bruce S., an observation of tol-  
 erance of disturbance by a male  
 American Woodcock on his singing  
 ground, 85  
 Wynne-Edwards, V. C., animal disper-  
 sion in relation to social behavior  
 (rev.), 208-209  
*Xanthocephalus xanthocephalus*, 145-155,  
 549  
*Xema sabini*, 4  
*Xiphorhynchus erythropygius*, 469  
   *guttatus*, 469  
 Yellowlegs, Greater, 550  
 Yellowthroat, 21, 22  
 Yocom, Charles F., Starlings above the  
 Arctic Circle in Alaska, 1962, 544  
 Young, Howard, age-specific mortality in

- the eggs and nestlings of blackbirds,  
145-155
- Zarhynchus wagleri, 470
- Zenaidura macroura, 153, 508, 511, 512,  
519, 549, 550
- Zonotrichia, 166
- albicollis, 171, 320-333, 505, 511, 512
- atricapilla, 511, 512, 519
- capensis, 470
- leucophrys, 508
- leucophrys gambelii, 519
- Zosteropidae, 515
- Zusi, Richard L., structural adaptations of  
the head and neck in the Black  
Skimmer, Rynchops nigra Linnaeus  
(rev.), 553; review by, 562-564

DATE OF ISSUE (Vol. 80, No. 4): OCTOBER 31, 1963.

